

## **STIC Biotechnology Systems Branch**

### **RAW SEQUENCE LISTING** **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/564,868  
Source: IFWP  
Date Processed by STIC: 1/30/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

**<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>**

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):  
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWP

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/564,868

DATE: 01/30/2006

TIME: 15:10:00

Input Set : A:\col0314se.txt

Output Set: N:\CRF4\01302006\J564868.raw

3 <110> APPLICANT: Consortium fuer elektrochemische Industrie [Consortium for  
4 electrochemical industry] GmbH  
6 <120> TITLE OF INVENTION: Cells and method for fermentatively preparing R-a-lipoic  
acid  
W--> 7 <130> FILE REFERENCE: Col0314  
C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/564,868  
C--> 10 <141> CURRENT FILING DATE: 2006-01-17  
E--> 12 <160> NUMBER OF SEQ ID NOS: ④6  
14 <170> SOFTWARE: PatentIn Ver. 2.0

*P.2*

*pp 1-4*

ERRORED SEQUENCES

**Does Not Comply  
Corrected Diskette Needed**

10/564,868

2

<210> 6 last sequence in submitted file  
<211> 87  
<212> PRT  
<213> Escherichia coli  
  
<400> 6

10/564,868 3

<210> 3  
<211> 261  
<212> DNA  
<213> Escherichia coli

<220>  
<221> CDS  
<222> (1)..(258)  
<223> Hybridgen der E2-Domaene

use English in a U.S. application

10/564,868

4

<210> 5  
<211> 264  
<212> DNA  
<213> Escherichia coli

<220>  
<221> CDS  
<222> (1)..(261)  
<223> Gen der BCCP-DASMEP-Domaene

use English

**VERIFICATION SUMMARY**

PATENT APPLICATION: US/10/564,868

DATE: 01/30/2006

TIME: 15:10:01

Input Set : A:\co10314se.txt

Output Set: N:\CRF4\01302006\J564868.raw

L:7 M:283 W: Missing Blank Line separator, <130> field identifier  
L:9 M:270 C: Current Application Number differs, Replaced Application Number  
L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date  
L:12 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (4) Counted (6)